

Model Overview









X-Runner shown in Speedway Blue

Tacoma Double Cab interior shown in Graphite with available TRD Off-Road Package

PreRunner Access Cab V6 shown in Impulse Red Pearl with available TRD Sport Package

	4x2 Regular Cab 5-Speed Manual	4x2 Regular Cab 4-Speed Auto	4x2 Regular Cab PreRunner 5-Speed Manual
MSRP**	\$15,170	\$16,070	\$16,055
MPG City/Highway***	20/26	19/25	20/26
Seating	3	3	3

EXTERIOR COLORS*

Super White

Silver Streak Mica

Magnetic Gray Metallic



Timberland Mica



INTERIOR COLORS*

Graphite Fabric

Barcelona Red Metallic





*This vehicle eBrochure is designed to identify vehicles commonly available in your area. If you would prefer to purchase a vehicle with no options or additional options, please contact your local dealer to check for current availability or the possibility of placing an order for such a vehicle.

**Manufacturer's Suggested Retail Price, excludes the Delivery, Processing and Handling Fee of \$720 for Cars and \$745 for Trucks, Vans and SUVs. (Historically, vehicle manufacturers and distributors have charged aseparate fee for processing, handling and delivering vehicles to dealerships. Toyota's charge for these services is called the "Delivery, Processing and Handling Fee" and is based on the value of the processing, handling and delivery services Toyota provides as well as Toyota's overall pricing structure. Toyota may make a profit on the Delivery, Processing and Handling Fee.) Excludes taxes, license, title and available or regionally required equipment. The Delivery, Processing and Handling Fee in AL, AR, FL, GA, LA, MS, NC, OK, SC and TX will be higher.

*** 2009 EPA-estimated mileage. Beginning with model year 2008, the EPA has revised the way the estimated fuel economy rating is determined. Actual mileage will vary.

Standard Features and Options*



not availablestandardoptionalpart of package	4x2 Regular Cab 5-Speed Manual	4x2 Regular Cab 4-Speed Auto	4x2 Regular Cab PreRunner 5-Speed Manual
MSRP**	\$15,170	\$16,070	\$16,055
Model Number	7103	7104	7131
	EXTE	RIOR	
Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments, rail caps and removable tailgate	S	-	-
Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments, rail caps and removable tailgate	-	(8)	(8)
Deck Rail System with four adjustable tie-down cleats	S	S	S
Argent grille insert/surround, rear bumper, black door handles, mirrors, front and rear bumpers	S	S	S
Black overfenders	-	-	S [1]
Front skid plate	-	-	S
Engine skid plate	<u>-</u>	-	(8)
Color-keyed front bumper, overfenders and chrome rear bumper	•	-	P
Front and rear mudguards	-	-	S
Rear mudguards only	S	S	-
Automatic Limited-Slip Differential (Auto LSD)	S	S	S
Two-speed windshield wipers	S	S	S
Variable-speed windshield wipers	-	-	P
Sliding rear window	O P	O P	0 P
Sliding rear window with privacy glass	-	-	P

^{**}Manufacturer's Suggested Retail Price, excludes the Delivery, Processing and Handling Fee of \$720 for Cars and \$745 for Trucks, Vans and SUVs. (Historically, vehicle manufacturers and distributors have charged aseparate fee for processing, handling and delivering vehicles to dealerships. Toyota's charge for these services is called the "Delivery, Processing and Handling Fee" and is based on the value of the processing, handling and delivery services Toyota provides as well as Toyota's overall pricing structure. Toyota may make a profit on the Delivery, Processing and Handling Fee.) Excludes taxes, license, title and available or regionally required equipment. The Delivery, Processing and Handling Fee in AL, AR, FL, GA, LA, MS, NC, OK, SC and TX will be higher. Actual dealer price will vary.

Standard Features and Options*



 not available s standard o optional p part of package 	4x2 Regular Cab 5-Speed Manual	4x2 Regular Cab 4-Speed Auto	4x2 Regular Cab PreRunner 5-Speed Manual
Fixed cargo bed tie-down points (2)	S	S	S
15-in. steel wheels with P215/70R15 tires	S	(S)	-
15-in. styled steel wheels with P215/70R15 tires	P	P	-
16-in. styled steel wheels with P245/75R16 tires	-	-	S
Full-size spare tire	S	(S)	S
	INTE	RIOR	
Defroster-linked air conditioning	O P	0 P	O P
Cloth-faced tilt-forward bench seat with adjustable headrests	S	S	S
Full carpeting	S	(8)	S
LED-illuminated gauges with speedometer, tachometer, coolant temperature/fuel level gauges and warning light, digital clock and tripmeter	S	8	8
Tilt/telescopic steering wheel	8	S	8
AM/FM CD with MP3/WMA playback capability, auxiliary audio jack, satellite radio capability [6], six speakers including two celling-mounted speakers on Access Cab (four speakers on Regular Cab), satellite radio receiver pre-wire and satellite antenna	S	(S)	[S]
Dual 12V auxiliary power outlets (one, plus cigarette lighter)	S	8	S
Sun visors with passenger-side vanity mirror	S	8	S
Sculpted door trim with fabric insert and two bottle holders	S	8	S
Three front cup holders	S	S	S
	SAF	ETY	

Standard Features and Options*



not available standard			
O optional	4x2 Regular Cab 5-Speed Manual	4x2 Regular Cab 4-Speed Auto	4x2 Regular Cab PreRunner 5-Speed Manual
part of package			
Star Safety System **M - includes Vehicle Stability Control (VSC) [8] and Traction Control with off switch, Anti-lock brake system (ABS) with Electronic Brake-force Distribution (EBD) and Brake Assist [9]	S	(S)	S
Driver and front passenger airbags with Advanced Airbag System [10]	S	S	S
Driver and front passenger seat-mounted side airbags, front and rear side curtain airbags [10]	S	8)	S
Active headrests [12]	S	S	(S)
Tire Pressure Monitor System (TPMS) [13]	S	S	(S)
Driver and front passenger seatbelts with pretensioner, force limiters and adjustable shoulder anchors	8	(8)	(8)
3-point seatbelts in all front seating positions with driver-side Emergency Locking Retractor (ELR) and front passenger Automatic/Emergency Locking Retractor (ALR/ELR)	S	8	(8)
Side-impact door beams in all doors	S	S	S
Child Restraint System (CRS) lower anchors - front passenger seat on Access Cab and rear outboard seats on Double Cab	-	-	8
Child Restraint System (CRS) top tether anchors - passenger and center front seat on Regular Cab with bench seat, front passenger seat on Access Cab and all rear seating positions on Double Cab	8	(8)	(8)
Daytime Running Lights (DRL)	0	0	0
Rear center high-mount stop lamp (CHMSL)	S	S	S

loyota Motor Sales, U.S.A., Inc. Produced U/.3U.0

Options*



The following option combinations are available in your area

4v0 Danvilar Oak E Cread Manual (7400)				
4x2 Regular Cab 5-Speed Manual (7103)				
Option Combo A: \$0.00	50 state emissions (FE)			
Option Combo B: \$855.00	50 state emissions (FE) Enhancement Package-CFC-free air conditioner with air filter (standard on Access and Double Cabs), sliding rear window, 15-in. styled steel wheels with P215/70R15 tires on 4x2 models (HE)			
4x2 Regular Cab 4-Spee	d Automatic (7104)			
Option Combo A: \$970.00	Carpet floor mats (4pc) & door sill [20] (CF) 50 state emissions (FE) Enhancement Package (HE)			
4x2 Regular Cab PreRunner 5-Speed Manual (7131)				
Option Combo A: \$1,280.00	Carpet floor mats (4pc) & door sill [20] (CF) 50 state emissions (FE) SR5 Package-CFC-free air conditioner with cabin air filter, chrome grille surround & rear bumper, color-keyed front bumper and overfenders, sliding rear window, metallictone instrument panel trim, variable speed wipers, sun visors with mirrors and extenders, SR5 badging (SE)			

Specifications



	4x2 Regular Cab 5-Speed Manual	4x2 Regular Cab 4-Speed Auto	4x2 Regular Cab PreRunner 5-Speed Manual
MSRP**	\$15,170	\$16,070	\$16,055
Model Number	7103	7104	7131
	MECHANICAL/PERFOR	MANCE	
Engine	2.7-liter DOHC EFI 4-	-cylinder with VVT-i, 159 hp @ 5200 rpm,	180 lbft. @ 3800 rpm
Emission Rating		Low Emission Vehicle	
Automatic Limited-Slip Differential (Auto LSD)		Standard	
	TRANSMISSION		
5-speed manual transmission	Standard	NA	Standard
4-speed electronically controlled automatic overdrive transmission with intelligence (ECT-i)	NA	Standard	NA
Final axle ratio	3.31	3.58	4.1
	BODY/SUSPENSION/CH	ASSIS	
Body construction	One-piece frame rails with eight cross members and fully boxed front sub-frame		
Front suspension	Coil-spring double wishbone suspension		
Rear suspension	Leaf-spring suspension with staggered outboard-mounted gas shock absorbers		
Front stabilizer bar (dia., in.)		1.18	
Steering	Variable-assist power rack-and-pinion steering		
Steering wheel turns, lock-to-lock	3.43		3.64
Power-assisted ventilated front disc brakes (dia., in.)	10.83 12.56		12.56
Rear brakes	Rear 10-in. drum brakes with tandem booster		
4-wheel Anti-lock Brake System (ABS) with Electronic Brake- force Distribution (EBD) and Brake Assist [9]		Standard	
	EXTERIOR DIMENSI	ONS	
Overall height (in.)	65		69.9
Overall width (in.)	72.2		74.6
Overall length (in.)	190.4		

^{**}Manufacturer's Suggested Retail Price, excludes the Delivery, Processing and Handling Fee of \$720 for Cars and \$745 for Trucks, Vans and SUVs. (Historically, vehicle manufacturers and distributors have charged aseparate fee for processing, handling and delivering vehicles to dealerships. Toyota's charge for these services is called the "Delivery, Processing and Handling Fee" and is based on the value of the processing, handling and delivery services Toyota provides as well as Toyota's overall pricing structure. Toyota may make a profit on the Delivery, Processing and Handling Fee.) Excludes taxes, license, title and available or regionally required equipment. The Delivery, Processing and Handling Fee in AL, AR, FL, GA, LA, MS, NC, OK, SC and TX will be higher. Actual dealer price will vary.

Specifications



	4x2 Regular Cab 5-Speed Manual	4x2 Regular Cab 4-Speed Auto	4x2 Regular Cab PreRunner 5-Speed Manual	
Wheelbase (in.)	109	109.4		
Bed length (in.)		73.5		
Bed height (in.)		18.0		
Bed width (in., total/between wheelwells)		56.7/41.5		
Track (in., front/rear)	61.0/	61.0	63.0/63.4	
Turning circle diameter, curb-to-curb (ft.)	36	.7	36.1	
	INTERIOR DIMENSION	ONS		
Head room (in., front/rear)		40.0/NA		
Hip room (in., front/rear)		53.6/NA		
Leg room (in., front/rear)		41.7/NA		
Shoulder room (in., front/rear)		58.1/NA		
Interior passenger volume (cu. ft., front/rear)	56.1/NA			
Maximum seating capacity	3			
	OFF-HIGHWAY			
Approach/departure angle (degrees)	27/20		35/26	
Ramp breakover angle (degrees)	2	21		
Minimum running ground clearance	8.	8.1		
	WEIGHTS AND CAPAC	ITIES		
Curb weight, manual transmission models (lb.)	3250	3270	3430	
Gross Vehicle Weight Rating (GVWR) (lb.)	460	4600		
Payload (lb.) [16]	1350 1380		1570	
Tongue load (lb., standard/maximum)	350			
Maximum towing capacity (lb.) [17,18]	3500			
Standard towing capacity (lb.) [18]	3500			
Gross Combined Weight Rating (GCWR) (lb.) (with Towing Package)	7500		8000	

Specifications



			1	
	4x2 Regular Cab 5-Speed Manual	4x2 Regular Cab 4-Speed Auto	4x2 Regular Cab PreRunner 5-Speed Manual	
Fuel tank (gal.)		21		
TIRES				
Wheels	15-in.	15-in. Steel		
Size	P215/	P215/70R15		
Туре	All-Se	All-Season		
MILEAGE ESTIMATES [19]				
Miles Per Gallon (city/highway)	20/26	19/25	20/26	

Accessories

2009 TACOMA

EXTERIOR ACCESSORIES



7 Pin to 4 Pin Adaptor \$13.00 Installed MSRP*



Bed Mat \$119.00 Installed MSRP*



Cargo Divider \$279.00 Parts Only MSRP**



Exhaust Tip by Valor \$69.00 Installed MSRP*



Hood Protector \$119.00 Installed MSRP*



Baja 16 Alloy Wheels \$695.00 Installed MSRP*



Bedrug Carpet Bedliner by Wise Industries \$379.00 Parts Only MSRP**



Cargo Net \$49.00 Installed MSRP*



Fork Mount Bike Attachment \$49.00 Parts Only MSRP**



Mini Tie Down Loop \$40.00 Installed MSRP*



Bed Extender \$282.00 Installed MSRP*



Cargo Cross Bars \$124.00 Parts Only MSRP**



Cleat Tie Down \$25.00 Parts Only MSRP**



Front Skid Plate \$205.00 Installed MSRP*



Roof Rack \$339.00 Installed MSRP*

Accessories

2009 TACOMA

EXTERIOR ACCESSORIES



Running Boards C Cab \$369.00 Installed MSRP* D Cab \$399.00 Installed MSRP*



Tow Hitch \$455.00 Installed MSRP*



INTERIOR

ACCESSORIES

All Weather Mats
Reg. Cab \$55.00
Parts Only MSRP**
Access & D Cab \$99.00
Parts Only MSRP**



Door Sill Protector
Reg. & C Cab \$27.00
Parts Only MSRP**
D Cab \$30.00
Parts Only MSRP**



Shifter Knob by OBX Racing \$49.00 Installed MSRP*



Spare Tire Lock \$64.00 Installed MSRP*



Tube Steps
Reg. Cab \$379.00
Installed MSRP*
C/D Cab Short Bed \$439.00
Installed MSRP*
D Cab Long Bed \$449.00
Installed MSRP*



Ashtray/Retainer \$18.00 Parts Only MSRP**



Emergency Assistance Kit \$70.00 Installed MSRP*



Sport Pedals by OBX Racing \$79.00 Installed MSRP*



Storage Boxes Small \$275.00 Parts Only MSRP** Large \$599.00 Parts Only MSRP**



Wheel Locks \$65.00 Installed MSRP*



Carpet Floor Mats (4pc) & Door Sill Reg. Cab \$115.00 Installed MSRP* C Cab \$179.00 Installed MSRP* D Cab \$199.00

Installed MSRP*



First Aid Kit \$29.00 Installed MSRP*



RS3200 + Security System \$479.00 Installed MSRP*

2008 Toyota Motor Sales, U.S.A., Inc. Produced

Accessories



PERFORMANCE ACCESSORIES



TRD Cat-Back Exhaust System V6 C & D Cab \$520.00 Installed MSRP* V6 D Cab Long Bed \$535.00 Installed MSRP*



TRD Performance Brake Kit \$2499.00 Installed MSRP*

Nearest Dealer*



Toyota Dealers in your Area:

Earnhardt Toyota/scion

Distance: 1.66 miles 6136 East Autoloop Avenue Mesa AZ, 85206

Phone: (480) 807-9700 www.earnhardttoyota.com



GET DIRECTIONS to this dealer

Other Toyota Dealers Nearby:

Big 2 Toy Scion/chandler Distance: 8.82 miles

1250 S. Gilbert Road Chandler AZ, 85249 Phone: (480) 898-6000 www.bigtwotoyota.com



GET DIRECTIONS to this dealer

Riverview Toyota Distance: 8.85 miles

2020 West Riverview Auto Drive Mesa AZ, 85201 Phone: (480) 994-9922 www.riverviewtoyota.com



GET DIRECTIONS to this dealer

Power Toyota Tempe Distance: 14.69 miles

7970 South Autoplex Loop Tempe AZ, 85284 Phone: (480) 598-0000 www.powertoyotatempe.com



GET DIRECTIONS to this dealer

Right Toyota Distance: 19.49 miles

7701 E Frank Lloyd Wright Scottsdale AZ, 85260 Phone: (480) 778-2200 www.righttoyota.com



GET DIRECTIONS to this dealer

Warranties / Disclaimers



WARRANTIES

Every Toyota Car, Truck and SUV is built to exceptional standards. And that's not idle boasting. We back it up with these Limited Warranty Coverages:

Basic: 36 months/36,000 miles (all components other than normal wear and maintenance items).

Powertrain: 60 months/60,000 miles (engine, transmission/transaxle, front-wheel drive, rear-wheel drive, seatbelts and airbags).

Rust-Through: 60 months/unlimited miles (corrosion perforation of sheet metal).

Emissions: Coverages vary under Federal and California regulations. Refer to applicable Owner's Warranty Information booklet for details.

Accessories: For accessories purchased at time of the new vehicle purchase, the Toyota Accessory Warranty coverage is in effect for 36 months or 36,000 miles (whichever comes first) from the vehicle's in-service date, which is the same coverage as the Basic coverage of the Toyota New Vehicle Limited Warranty.

For dealer-installed accessories purchased after the new vehicle purchase, the coverage is 12 months or 12,000 miles (whichever comes first) from the date the accessory was installed on the vehicle, or the remainder of the above 36 months or 36,000 miles Basic coverage from the vehicle's in-service date, whichever provides greater coverage, with the exception of car covers. Car covers are warranted for 12 months from the date of purchase and do not assume any coverage under the Toyota New Vehicle Limited Warranty.

For customer (non-dealer)-installed accessories purchased after the new vehicle purchase, the coverage is 12 months or 12,000 miles (whichever comes first), from the purchase date of the accessory.

You may be eligible for transportation assistance if it's necessary that your vehicle be kept overnight for repairs covered under warranty. Please see your authorized Toyota dealership for further details.

For complete details about Toyota's warranties, please refer to the applicable Owner's Warranty Information booklet or see your Toyota dealer.

DISCLAIMERS

All information in this eBrochure is based on data available at time of posting, is subject to change without notice and pertains specifically to continental U.S.A. vehicles only.

- [1] Overfenders on SR5, TRD Sport and TRD Off-Road Packages are color-keyed.
- [2] Requires TRD Off-Road Package.
- [3] Requires TRD Sport Package.
- [4] Performance tires are expected to experience greater tire wear than conventional tires. Tire life may be less than 24,000 miles, depending on driving conditions.
- [5] The backup camera does not provide a comprehensive view of the rear area of the vehicle. You should also look around outside your vehicle and use your mirrors to confirm rearward clearance. Cold weather will limit effectiveness and view may become cloudy.
- [6] Satellite radio requires XM- or Sirius-compatible receiver and monthly service fee. See your Toyota dealer for further details. Reception of the satellite signal may vary depending on location. All fees and programming subject to change. Subscriptions subject to the terms and conditions available at www.xmradio.com or www.sirius.com. Available only in the 48 contiquous United States.
- [7] Requires SR5, TRD Off-Road or TRD Sport Package.
- [8] Vehicle Stability Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your Owner's Manual for further details
- [9] Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions.

[10] All the airbag (AB) systems are Supplemental Restraint Systems. All ABs (if installed) are designed to inflate only under certain conditions and in certain types of severe collisions: frontal and knee ABs typically inflate in frontal collisions; side and side curtain ABs in side collisions; Roll-Sensing Curtain ABs at a severe tilt degree, roll or lateral G-force. In all other accidents, the ABs will not inflate. To decrease the risk of injury from an inflating AB, always wear seatbelts, sit upright in the middle of the seat as far back as possible and do not lean against the door. Do not put objects in front of an AB or around the seatback. Do not use a rearward-facing child seat in any front passenger seat. The force of an inflating AB may cause serious injury or death. See your Owner's Manual for further information/warnings.

- [11] Do not use rearward-facing child seats in any front passenger seat without switching off the passenger-side airbag. Please see Owner's Manual for details.
- [12] Active headrests can help reduce the extent of whiplash in certain types of rear-end collisions.
- [13] The Toyota Tire Pressure Monitor alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See your Owner's Manual for details.
- [14] The Bluetooth® technology phones listed on toyota.com have been tested for compatibility with Toyota vehicles. Performance will vary based on phone software version, coverage and your wireless carrier. Phones are warranted by their manufacturer, not Toyota.
- [15] Downhill Assist Control (DAC) is designed to help the driver maintain vehicle control and speed on steep, downhill descents. Hill Start Assist Control (HAC) is designed to help minimize backward rolling on steep ascents. Neither system is a substitute for safe driving judgment and practices. Factors including speed, grade, surface conditions and driver input can all affect whether DAC and HAC will be effective in preventing a loss of control. Please see your Owner's Manual for further details.
- [16] Payload is the GVWR minus curb weight and includes weight of occupants, optional equipment and cargo, limited by weight distribution. Payload is not the Vehicle Capacity Weight as defined by FMVSS 110, which will vary according to installed optional equipment.
- [17] Maximum towing capacity and tongue capacity require V6 engine with available Tow Package. See Owner's Manual for details.
- [18] Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on the total weight of any cargo, occupants and available equipment. [19] 2009 EPA mileage estimates. Actual mileage will vary.

Helpful Links

2009 TACOMA

BUYER TOOLS:

Find Local Specials

www.buyatoyota.com

Request a Quote

www.buyatoyota.com

Locate a Dealer

http://www.toyota.com/dealers

Competitive Comparison

http://www.toyota.com/compare

Toyota Financial Services

www.toyotafinancial.com

Payment Estimator

http://www.toyotafinancial.com/estimator

Apply for Credit

http://www.toyotafinancial.com/apply

Certified Used Vehicles

http://www.toyota.com/tcuv

Warranty Info.

www.toyotaownersonline.com/warranty

OWNER TOOLS:

Toyota Owner Resources

www.toyotaownersonline.com

Vehicle Reference Guides

http://prg.toyotapartsandservice.com/

Maintenance Guides

http://smg.toyotapartsandservice.com/owners.php

Toyota Service

 $\frac{\text{http://www.toyotaownersonline.com/serv}}{\text{ice}}$

Car Care Tips

http://www.toyotaownersonline.com/carc are

Driver Tips

http://www.toyotaownersonline.com/tips

Genuine Toyota Parts

 $\frac{\text{http://www.toyotaownersonline.com/part}}{s}$

Do-It-Yourself Help

http://www.toyotaownersonline.com/diy

GENERAL INFORMATION:

Toyota News

http://www.toyota.com/news

Toyota Motorsports

http://www.toyota.com/motorsports

Toyota NASCAR Racing

http://www.toyota.com/pitpass

Toyota Community

http://toyota.edmunds.com/community

Toyota Events

http://www.toyota.com/events

Future Concept Vehicles

http://www.toyota.com/future

Community Care

http://www.toyota.com/community

QUESTIONS:

FAQs

http://www.toyota.com/FAQ

Contact Toyota

http://www.toyota.com/contact